

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO Box 1450 Alexandria, Virginia 22313-1450 www.unpto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/526,493	03/30/2006	Ibrahim H. Ibrahim	22409-00360	7351
30678 7590 CONNOLLY BOVE LODGE & HUTZ ILLP 1875 EYE STREET, N.W. SUITE 1100 WASHINGTON, DC 20006			EXAMINER	
			DIETRICH, JOSEPH M	
			ART UNIT	PAPER NUMBER
			3762	
			MAIL DATE	DELIVERY MODE
			07/27/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application No. Applicant(s) 10/526,493 IBRAHIM, IBRAHIM H. Office Action Summary Art Unit Examiner Joseph M. Dietrich 3762 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 26 January 2010. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 1-33 and 58 is/are pending in the application. 4a) Of the above claim(s) _____ is/are withdrawn from consideration. 5) Claim(s) _____ is/are allowed. 6) Claim(s) 1-33 and 58 is/are rejected. 7) Claim(s) _____ is/are objected to. 8) Claim(s) _____ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) ☐ The drawing(s) filed on 04 March 2005 is/are: a) ☐ accepted or b) ☐ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.

U.S. Patent and Trademark Office PTOL-326 (Rev. 08-06)

Attachment(s)

1) Notice of References Cited (PTO-892)

Paper No(s)/Mail Date

Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) Information Disclosure Statement(s) (PTO/SB/06)

Interview Summary (PTO-413)
Paper No(s)/Mail Date.

6) Other:

5) Notice of Informal Patent Application

Art Unit: 3762

DETAILED ACTION

Response to Arguments

 Applicant's arguments filed January 26, 2010 have been fully considered but they are not persuasive.

In response to applicant's arguments that the combinations of Jeutter and Kung and Chen and Kung do not teach measuring the strength of a magnetic field proximal to the external transceiver, wherein the magnetic field is generated at least in part by the external transceiver, examiner disagrees. As noted in the rejections, Jeutter teaches a means for measuring the strength of a magnetic field in column 6, lines 4 - 12 for the purpose of determining the position of an external device relative to an implantable device. Similarly Chen teaches a means for measuring the strength of a magnetic field in e.g. column 4, lines 25 – 30 for the same purpose. The Kung reference is relied upon in order to teach that it is known to determine the position of an external device relative to an implantable device using a magnetic field that is generated at least in part by the external transceiver and an implantable device that senses the magnetic field and determines a parameter of the field. It is reminded that the test for obviousness is not whether the features of a secondary reference may be bodily incorporated into the structure of the primary reference; nor is it that the claimed invention must be expressly suggested in any one or all of the references. Rather, the test is what the combined teachings of the references would have suggested to those of ordinary skill in the art. See In re Keller, 642 F.2d 413, 208 USPQ 871 (CCPA 1981). In the present case, the combination does not imply that both the implantable devices which generate a

Art Unit: 3762

magnetic field as taught by Jeutter or Cheng combined with the external devices which generate a magnetic field as taught by Kung. Instead, the combination indicates that it would be obvious to combine means for measuring the strength of a magnetic field as taught by Jeutter or Cheng with an external device that can generate a magnetic field and an internal device that can sense a magnetic field and determine a parameter of said field as taught by Kung, since such a modification would provide the predictable results of allowing a physician or a technician to easily access the magnetic field generator and thus more easily perform maintenance on the generator. Thus, the combination does not render the system of Jeutter or Cheng inoperable.

In response to applicant's argument that it would not have been obvious to determine that the device is displaced when a measured strength is greater than a threshold value, examiner disagrees. As noted in the rejection, Chen teaches determining that a device is displaced when a measured strength is less than a threshold value. Because this determining is done for the same purpose and solves the same problem, the claim fails to patentably distinguish over Chen. Furthermore, as indicated in the rejection, processors that determine a difference between a desired value and a measured value are well known in the art. In such a case, the difference is compared against a threshold to determine if it is greater than a threshold value. Such a processor is taught in Jeutter in column 4, line 63 – column 5, line 3).

Applicant's arguments regarding the 102 rejection of claim 58 have been considered and are persuasive. The rejection of claim 58 under 35 USC 102 has been

Art Unit: 3762

withdrawn.

Claim Rejections - 35 USC § 103

- The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- Claim 58 is rejected under 35 U.S.C. 103(a) as obvious over Chen et al. (USPN 6,138,681).

Regarding **claim 58**, Chen discloses an apparatus comprising a means for measuring the strength of a magnetic field (e.g. column 4, lines 25 - 30); means for determining the position of the external device relative the implant (e.g. column 4, lines 33 - 36); means for comparing a measured strength to a threshold value and means for indicating the external device is displaced when the measured strength falls outside a threshold value (e.g. column 6, lines 3 – 15); means for mapping that comprises a look-up table comprising a plurality of pairs of values of magnetic field strength to separation distance (e.g. column 6, lines 3 – 15); but fails that the measured strength must exceed the threshold value. Processors that determine a difference between a desired value and a measured value are well known in the art. In such a case, the difference is compared against a threshold to determine if it is greater than a threshold value. It would have been an obvious matter of design choice to a person of ordinary skill in the art to modify the system as taught by Chen with a system that indicates the transceiver

Art Unit: 3762

has been displaced when the measured strength of the magnetic field is greater than the threshold value, because Applicant has not disclosed that requiring the measured strength to be greater than the threshold value provides an advantage, is used for a particular purpose, or solves a stated problem. One of ordinary skill in the art, furthermore, would have expected Applicant's invention to perform equally well with requiring the measured strength to be less than the threshold value as taught by Chen, because it provides an indication of alignment and a distance that is required to optimize alignment and since it appears to be an arbitrary design consideration which fails to patentably distinguish over Chen.

Therefore, it would have been an obvious matter of design choice to modify Chen to obtain the invention as specified in the claims.

 Claims 1 – 4, 11, 12, 16 - 19, 28, and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jeutter (USPN 5.314.453) in view of Kung (USPN 6.366.817).

Regarding claims 1 – 4, 11, 12, 16 – 19, 28, and 29, Jeutter discloses a method and apparatus comprising a means for measuring the strength of a magnetic field (e.g. column 6, lines 4 – 12); means for determining the position of the external device relative the implant and indicating through use of a visible indication that the device is displaced when the measured strength is greater than a threshold value (e.g. column 4, line 67 – column 5, line 10); but fails to teach that the magnetic field is generated at least in part by the external transceiver. Kung teaches it is known to use an externally generated magnetic field in order to determine the position of an implantable device in

Art Unit: 3762

relation to the external device (e.g. column 19, lines 50 – 60). It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the generated magnetic field as taught by Jeutter with a magnetic field generated at least in part by an external device as taught by Kung, since such a modification would provide the predictable results of allowing a physician or a technician to easily access the magnetic field generator and thus more easily perform maintenance on the generator.

 Claims 1 – 7, 11 – 22, and 28 – 32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chen et al. in view of Kung.

Regarding **claims 1 – 7, 11–22, 28 – 32**, Chen discloses a method and apparatus comprising a means for measuring the strength of a magnetic field (e.g. column 4, lines 25 - 30); means for determining the position of the external device relative the implant (e.g. column 4, lines 33 - 36); means for indicating the external device is displaced when the measured strength is greater than a threshold value (e.g. column 6, lines 3 – 15); means for mapping that comprises a look-up table comprising a plurality of pairs of values of magnetic field strength to separation distance (e.g. column 6, lines 3 – 15); wherein the means for measuring comprises a pickup coil positioned in a plane substantially perpendicular to a primary axis of the magnetic field and comprising an open circuited single turn (e.g. column 4, liens 50 – 58); but fails to teach that the magnetic field is generated at least in part by the external transceiver. Kung teaches it is known to use an externally generated magnetic field in order to determine

Art Unit: 3762

the position of an implantable device in relation to the external device (e.g. column 19, lines 50-60). It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the generated magnetic field as taught by Chen with a magnetic field generated at least in part by an external device as taught by Kung, since such a modification would provide the predictable results of allowing a physician or a technician to easily access the magnetic field generator and thus more easily perform maintenance on the generator.

 Claims 8 - 10, 23 - 27, and 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chen et al. in view of Kung as applied to claim 1 above, and further in view of Bornhoft et al. (US PGPUB 2003/0074035).

Regarding claims 8 – 10, and 23 – 27, Chen discloses the claimed invention except a bidirectional transcutaneous link. Bornhoft teaches that it is known to use transceivers having a bidirectional RF telemetric link for the transmitting of power and data signals (e.g. paragraphs 13, 14, and 29). It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the transcutaneous link as taught by Chen with the bidirectional RF link as taught by Bornhoft, since such a modification would provide the predictable results of minimizing the amount of circuitry in both the implanted device and the external device while still allowing both data and power to be transferred from one device to another.

Regarding claim 33, Chen discloses the claimed invention except for peak detector means. Bornhoft teaches that it is known to use peak detector means to

Art Unit: 3762

determine the magnetic strength (e.g. paragraph 25). It would have been obvious to one having ordinary skill in the art at the time the invention as made to modify the pick-up coil as taught by Chen with the peak detecting means as taught by Bomhoft, since such a modification would provide the predictable results of efficiently determining the amplitude of the received signal, and thus determining the positioning of the external device relative the implanted device.

Conclusion

 THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joseph M. Dietrich whose telephone number is (571)270-1895. The examiner can normally be reached on M-F, 8:00 - 5:00 EST.

Art Unit: 3762

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carl Layno can be reached on 571-272-4949. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. M. D./ Examiner, Art Unit 3762 /Carl H. Layno/ Supervisory Patent Examiner, Art Unit 3766